

SELF-PROPELLED BALE STACKERS - CUBE-LINE BALE WRAPPERS



## STINGER STACKER 6500 VERSATILITY, PROFITABILITY, LONGEVITY

The Stinger Stacker 6500 gives unmatched weight distribution, performance and versatility compared to any other bale stacker on the market. Stack bales on edge or on twine. Haul round or square bales and unload 9 to13 bales in less than 4 seconds, when road siding. The Stinger Stacker 6500 is the only single axle SP bale stacker that does not exceed axle or tire ratings. The long wheel base and center mounted operators cab gives unmatched ride quality for those long days and nights.

| Field Ready Weight     | 26,500 LBS  |
|------------------------|---|
| Bale Capacity          | 12 - 3x4 or 3x3 Bales, 8 - 4x4 Bales, 7 - 5x6 Round Bales, 9 Bale Bundles (slide off mode)  |
| Speed                  | 50 MPH  |
| Empty Dimensions       | 34.5' Length, 14' Height, 9' Width  |
| Engine                 | Cummins Industrial 9L 320 HP, 1250 ft-Ib. Torque  |
| Cooling System         | Cross Flow Radiator with Integral Transmission Oil Cooler, Cleanfix Reversible Fan  |
| Transmission           | Allison MD 3000RDS, 6-Speed with Joystick Control Handle  |
| Steering               | Hydraulic Power Assist with Sheppard Model 592 Gear   |
| Fuel Capacity          | 120 Gal.  |
| Front Wheels and Tires | 445/65R22.5, 395 sq. Inch Comcint, 22.5X 13, 10 Hole Hub Pilot Bud Wheel  |
| Front Axle             | Eaton EFA-20, 3.5 Single Drop, 24,000 lb  |
| Front Suspension       | Semi-Elliptic Rubber Bushed Leaf Spring, 22,500 lb.   |
| Rear Tires and Wheels  | 710/45 x 22.5, 725 sq. Inch Footprint, 22.5 x 24 10 Hole Hub Pilot Bud Wheel  |
| Rear Axle              | Eaton 26080P 9.51 Ratio, 26,000 lb.   |
| Rear Suspension        | Reyco 102CC, 30,000 lb.   |
| Driver's Cab           | Heat, A/C. AM/FM/USB, Sunvisor, Full Size Training Seat, Sears Fabrifoam HD Seat with   |
|                        | Heat and Air Cooling, Cruise Control, Air Horn  |
| Warranty               | Stacker - 1 yr, Chassis - 1 yr., Engine - 2 yr., Transmission - 3 yr. Engine and Transmission<br>Warranties Extendable through Manufacturer |
| Options                | Front Floatation Tires, Stack Grapple, Poly Rails, Lincoln Auto-Lube  |













## STINGER STACKER 8500 INDUSTRY LEADING PERFORMANCE & CAPACITY

The first commercial bale stacker designed specifically for the expanding market of Ultra Dense bales. The Stinger Stacker 8500 combines the most popular and proven features of Stingers of the past with the added performance and design to handle more bales at less cost than any other bale wagon in the world. Increased capacity, increased flotation, increased traction, speed, and horsepower. The Stinger Stacker 8500 is simply like no other and stands in a class of its own.

| Field Ready Weight     | 42,500 LBS   |
|------------------------|--|
| Bale Capacity          | 14 - 3x4 (Agco) or 12 - 3x4 or 3x3 Bales, 10 - 4x4 (Agco) or 8 - 4x4 Bales                   |
| Speed                  | 55 MPH   |
| Dimensions             | 35' Length, 14'4" Height, 9'9" Width   |
| Engine                 | Detriot 13L 460 HP, 1650 ft-Ib. Torque   |
| Cooling System         | Cross Flow Radiator with Integral Transmission Oil Cooler, Cleanfix Reversible Fan           |
| Transmission           | Allison HD 4500RDS, 6-Speed with Joystick Control Handle                                     |
| Steering               | Hydraulic Power Assist with Sheppard XD-120  |
| Fuel Capacity          | 120 Gal.   |
| Front Wheels and Tires | Michelin 500/60 22.5 Floatation Tires, Steel 7mm 22.5 X16 10 Hole Hub Pilot Bud              |
|                        | Wheel, 2 Stage Chromazone Powder Coat  |
| Front Axle             | Eaton EFA-20, 3.5 Single Drop, 24,000 lb.  |
| Front Suspension       | Semi-Elliptic Rubber Bushed Leaf Spring, 22,500 lb.  |
| Rear Tires and Wheels  | 710/45 x 22.5, 725 sq. Inch Footprint, 22.5 x 24 10 Hole Hub Pilot Bud                       |
|                        | Wheel, 2 Stage Chromazone Powder Coat  |
| Rear Axle & Suspension | Dana 2-Speed 52,000LB Twin-Screw, w/Inter-Axle Lock & Hendrickson HAULMAAX®                  |
| Driver's Cab           | Heat, A/C. AM/FM/USB, Sunvisor, Full Size Training Seat, Sears Fabrifoam HD Seat with        |
|                        | Heat and Air Cooling, Cruise Control, Air Horn   |
| Warranty               | Stacker - 1 yr, Chassis - 1 yr., Engine - 2yr., Transmission - 3 yr. Engine and Transmission |
|                        | Warranties Extendable through Manufacturer   |
| Standard Features      | Lincoln Auto-Lube, Cleanfix <sup>®</sup> Reversing Fan, LED Work Light Package               |



















## STINGER CUBE-LINE 4010 WRAPPER

Any job worth doing requires the right set of tools. Hay production is no different. The Stinger Cube-Line 4010 is another tool that lets you, the producer, take control of your harvest before Mother Nature ruins the quality of your product. The Stinger Cube-Line 4010 is the best insurance policy no matter what size hay operation you run, from 250 acres to 2500 acres. Bale one day sooner rather than two weeks late. End the days of rain damaged hay on your farm. Take control, and beat Mother Nature. Feed and sell the best quality hay year round and increase your profits.

Just saving 250 Tons from being rained on during a single cutting can net you \$30,000 more profit with the Cube-Line 4010. How many tons of hay did you lose to Mother Nature last season?

| Field Ready Weight | 13,500 LBS  |
|--------------------|---|
| Bale Capacity      | 3x3, 3x4 Bales - up to 3 High, 4x4 Bales - up to 2 High, Round Bales - 1 High |
| Empty Demensions   | 28' Length, 14'6" Height, 15' Width   |
| Engine             | 27 HP Kohler Gasoline   |
| Electrical         | 12 V (DC (25 Amp)   |
| Fuel Capacity      | 10 Gal.   |
| Wheels and Tires   | (6) 12.5 x 15 (10 ply)  |
| Warranty           | 1 Year from In-Service Date   |
| Controls           | Wireless Remote & Touchscreen Controls on Wrapper                             |
| Film Stretchers    | 4 - 30" Tensioners Stretch to 55%"  |
| Assembly           | 3.5 Man Hours Assembly of Top Hoop and Safety Doors                           |



302 East Dean St. • Burrton, KS 67020 800.530.5304 • 620.463.8050 Fax



stingerltd.com